

CIRRUS COLLECTION

Tables



CS-C2460L-29
CS-C2496-60CRV-36

30"D X 60"W X 29"H
24"D X 96"W X 36'H

CIRRUS

Kit Configurations



Stowaway Media Sharing Theater


- Cirrus Straight—CS-C2460
- Cirrus Curve—CS-C2496-60CRV
- Hannah Stools—HAN006
- Stowaway Tech Cart—PCR-1842-MB
- Full Time Ottomans—FTR-2448 & FTC-30




Crayon Media Sharing Theater

- Cirrus Straight—CS-C2460
- Cirrus Curve—CS-C2496-60CRV
- Push Pop Stools—PP-25-FR
- Crayon Table—CY-F3060LD
- Full Time Ottomans—FTR-2448 & FTC-30

Compatible Seating




- (1) Cirrus 60° Curve Table
CS-C2496-60CRV
- (1) Full Time 30° Ottoman
FTC-30-7224




- (1) Cirrus 60° Curve Table
CS-C2496-60CRV
- (1) Wink 30°
WNK-30-7230


Potential Seating Configurations



- (2) Cirrus 60° Curve Table
CS-C2496-60CRV
- (2) Cirrus Straight Table
CS-C2460
- (2) Wink 60° Curve
WNK-60-7230
- (2) Wink (Straight)
WNK-6030



- (5) Cirrus 60° Curve
Table
CS-C2496-60CRV
- (5) 60° Wink
WNK-60-7230



- (2) Cirrus 60° Curve Table
CS-C24110-90CRV
- (2) Cirrus Straight Table
CS-C2460
- (6) Full Time 30° Ottoman
FTC-30
- (2) Wink (Straight)
WNK-6030

CIRRUS



Cirrus Computer CSC-C3060L-29



Cirrus CS-C3060L-29



Curved Cirrus CS-C2496-60CRV-36
(Convex side)

CIRRUS • CIRRUS COMPUTER • CIRRUS CURVE TABLES

- Welded steel end frames with high-pressure laminate or veneer frame inserts—stylish, strong and functional.
- Structural high-pressure laminate or veneer, full-height modesty panel is standard.
- Intermediate panels have an upper notch for cable pass-through.
- Curve table has 60° curve with a 96" radius or a 90° curve with a 110" radius.
- Cirrus computer tables include wire management trough and work surface grommets. Grommets are optional on Cirrus and Cirrus Curve.
- Legs are fitted with adjustable leveling glides.

CIRRUS STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
CS-_2436_-	24	36	29/36/42
CS-_2442_-	24	42	29/36/42
CS-_2448_-	24	48	29/36/42
CS-_2460_-	24	60	29/36/42
CS-_2472_-	24	72	29/36/42
CS-_3036_-	30	36	29/36/42
CS-_3042_-	30	42	29/36/42
CS-_3048_-	30	48	29/36/42
CS-_3060_-	30	60	29/36/42
CS-_3072_-	30	72	29/36/42

CIRRUS COMPUTER STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
CSC-_2436_-	24	36	29/36/42
CSC-_2442_-	24	42	29/36/42
CSC-_2448_-	24	48	29/36/42
CSC-_2460_-	24	60	29/36/42
CSC-_2472_-	24	72	29/36/42
CSC-_3036_-	30	36	29/36/42
CSC-_3042_-	30	42	29/36/42
CSC-_3048_-	30	48	29/36/42
CSC-_3060_-	30	60	29/36/42
CSC-_3072_-	30	72	29/36/42

To Order, Choose Finish Selections & Options

Work Surface: Choose from our selection of high-pressure laminates.

Steel Frame: Choose from our selection of powder coats.

Edges: Choose a 3mm PVC or wood edgeband.

Modesty and Insert Panels: Choose from our selection of high-pressure laminates or veneers.

See **mediatechnologies'** Finish and Color Guide for choices at www.mediatechnologies.com.

EDGE TYPES



*For straight tables only

WIRE MANAGEMENT



MODESTY PANELS



Veneer/HPL Panel
Wire Management
Grommet **optional**

CIRRUS CURVE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	INNER RADIUS"	HEIGHT"
60° CURVE				
CS-C2496-60CRV	24	96	72	29/36/42
90° CURVE				
CS-C24110-90CRV	24	110	54	29/36/42

General Specifications

Table Top: Table tops are 1-1/4" thick, three-ply 45# particleboard construction with .050" high-pressure laminate top surface and a .030" phenolic backer. Square corners on banded tops have a 1/8" radius.

Steel End Frames: Are weldments consisting of a 14 gauge 1-1/2" x 2" steel tubing vertical leg, a curved 1" x 2" steel tube leg, and a 1/4" thick x 4"W steel mounting plate. Legs are fitted with adjustable glides. The weldment has a shaped 1-3/16" thick wood panel mounted within it for both structure and appearance.

Modesty Panels: Modesty Panels are required for structure and are available in wood veneer or high-pressure laminate. Modesty is 3/4" thick veneered panel with embedded steel inserts. Modesty panels are attached with threaded metal fasteners to end frames with threaded wood fasteners to the underside of the work surface.

Full-height modesty panels are provided for all 36"H & 42"H Cirrus Tables and all Cirrus Curve tables. 29" H Cirrus Straight tables come standard with an 11" modesty panel; full height panel is optional on these models.

cs-cirrus-190603



892 Industrial Park Drive
Shelby, MI 49455
P: 231.861.2194
F: 231.861.6678
www.mediatechnologies.com
sales@mediatechnologies.com

PURE MICHIGAN®



Cirrus Esports Consoles

esports • computer labs








STATEMENT OF LINE

Curved Console




CESCC-C3450CRV-L-29/46
(1/8" radiused corners with an
overall 62° radius)

Cabinet Console



CESCC-C3438V-L-29/46
CESCC-C3444V-L-29/46
Concave Work Surface
(3" radius on corners)



CESCC-C4038X-L-29/46
CESCC-C4044X-L-29/46
Convex Work Surface
(3" radius on corners)

Panel Console



CESPC-C3138V-L-29/46
CESPC-C3144V-L-29/46
Concave Work Surface
(3" radius on corners)



CESPC-C3738X-L-29/46
CESPC-C3744X-L-29/46
Convex Work Surface
(3" radius on corners)

STATEMENT OF LINE


Panel Intermediate Console




CESPC-C3138VIN-L-29/46
CESPC-C3144VIN-L-29/46
Concave Work Surface



CESPC-C3738XIN-L-29/46
CESPC-C3744XIN-L-29/46
Convex Work Surface



Wire management
pass-through detail



Wire management
pass-through detail.
*Black is standard for wire basket



WIRE MANAGEMENT

Cabinet Console: Wire box door opening is 20"W x 17-1/4"H. A grommet is provided in the top to conceal and pass cabling into the cabinet.

Curved Cabinet Console: Assembly provides concealed wire passage from table to table.

Panel Console: 3" deep powder coated steel wire channel connects to the inside front of the back panel to conceal wires. Back Panel mounting surface is suitable for attaching the mount for a flat screen monitor. (Monitor and mount not included.)

Mounting a monitor to Cirrus eSports Consoles: You drill and bolt your mounting bracket for your Flat Screen Monitor to the outside face of your Cirrus Console back panel. Follow the mounting instructions for your monitor. Generally speaking, the monitor size should not exceed the width of your Cirrus eSports Console.

Features & Benefits:



CESPC-C3738X-L-29/46

Cirrus Esports Consoles are designed to support your gaming facilities, working seamlessly within your infrastructure to provide the ultimate club or team experience. Paired with ergonomic adjustable height chairs, like Vertagear Gaming Chairs ensures a comfortable and healthy posture for gamers while they compete!

- Specifically designed to incorporate Esports wiring infrastructure
- 3 Models available to support the needs of Esports facilities.
 - Cabinet
 - Panel
 - Curved
- Our Cabinet Back model features top of the line wire management, designed to create runs for 3 v 3, 6 v 6 competitions seamlessly. The Panel back model, is a light version of the latter while still offering cable management. Our Curved model is unique to the Esports arena, as it creates more of a dome feeling, keeping gamers in their own space from the audience while still allowing for wire management.
- Each model provides a sturdy spectator facing panel to mount monitors, for fans to cheer on their home team
- 38"/44"W worksurface to display gaming PC's and leave elbow room for gamers

To Order Specify

Work Surface: Choose from our selection of high pressure laminate options.

Steel End Frames: Choose from our selection of powder coats:

Group I: 809 Silver, 138 White, 109 Cream, 208 Putty, 304 Dove Grey, 407 Stone, 912 Black, 902 Black Wrinkle.

Group II Frame (up-charge): 5003 Navy, 808 Nickel, 405 Charcoal, 621 Goldfinch, 622 Parakeet, 613 Blue Heron, 627 Blue Wren, 629 Hummingbird, 618 Purple Martin, 624 Cardinal.


Cabinet Console/Back Panel: Choose from our selection of high pressure laminate options.

Edges: Choose from our selection of PVC edgebands.

See **mediatechnologie's** finish choices at
<https://www.mediatechnologies.com/resources/finishes>

Connectivity Options: See **mediatechnologie's** Connect Brochure for our Connectivity options at www.mediatechnologies.com.

Model Number Breakdown:



Overall Dimensions:

Cabinet Console:

Depth: Convex: 40"; Concave: 34.75"
Width: 38"/44"
Worksurface height: 29"
Overall height: 46"

Curved Console:

Depth: 34"
Width: 49.75"
Worksurface height: 29"
Overall height: 46"

Back Panel:

Depth: Convex: 36.5"; Concave: 31.25"
Width: 38"/44"
Worksurface height: 29"
Overall height: 46"

Options

Cable Grip



Grommets



Bag Hook

